



- 1 -

# TITLE OF THE INVENTION

METHOD, SYSTEM AND COMPUTER PROGRAM PRODUCT FOR  
PROVIDING BACKUP DATA FOR USE IN STUDYING CLAIMS

## BACKGROUND OF THE INVENTION

### 5 1. Field of the Invention

A method, system and computer program product for providing backup data for use in a work of studying a measure against claims using a remote maintenance system.

### 10 2. Description of the Related Art

To improve the efficiency of maintenance services, a remote maintenance system has been constructed, in which a user's product and a server of a maintenance center are connected via a network and the user's  
15 product is subjected to suitable maintenance by remote control from the maintenance center.

In such a system, a user's product to be subjected to maintenance incorporates a communication device such as a modem, and the user's product and a server of a  
20 maintenance center are connected through a network, for example, the Internet or a private line.

When trouble occurs in the user's product, a claim is reported to a section which considers solution of claims, for example, a claim countermeasure department,  
25 to eliminate the trouble, and solution of the claim is studied. In the study, not only the state of trouble, but also various backup data representing the usage

state and usage condition of the product, in which the trouble occurs, are required.

However, in general, since the report to the claim countermeasure department is not sufficient for backup data necessary to study solution, necessary backup data must be additionally collected. Moreover, if backup data of the same model of another user, which does not malfunction but normally functions, is used in the study, more reliable solution can be worked out.

Therefore, there is a need for a method and system, in which, when a claim is reported, contents of the claim are checked and necessary items as backup data are chosen, and a user's product is accessed by means of a network or a remote maintenance system, thereby acquiring necessary backup data.

There is also a need for a method and system, which analyze the attained backup data.

#### BRIEF SUMMARY OF THE INVENTION

According to an aspect of the present invention, a method for providing backup data utilizing a remote maintenance system acquires claim information and generates a necessary backup data item from the claim information. Further, it accesses a product of a user through a network and acquires information corresponding to the backup data item from the product of the user.

# BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING

The accompanying drawings, which are incorporated in and comprise a part of the specification, illustrate presently embodiments of the invention, and together with the general description given above and detailed description of the embodiments given below, serve to explain the principles of the invention.

FIG. 1 is a block diagram for explaining the overall configuration of a remote maintenance system according to a first embodiment of the present invention;

FIG. 2 is a structural diagram of a server used in the embodiment;

FIG. 3 is a flowchart showing an operation of supporting a change in hardware in the first embodiment;

FIG. 4 shows an example of a backup data item table; and

FIG. 5 is a flowchart showing an operation of supporting a change in hardware in a second embodiment.

## DETAILED DESCRIPTION OF THE INVENTION

Embodiments of the present invention will now be described with reference to the drawings.

(First Embodiment)

FIG. 1 is a block diagram for explaining the overall configuration of a remote maintenance system according to a first embodiment of the present

invention. A server 11 of a maintenance center, which exercises control over product maintenance, is connected to each product 12 used by users via a network 13. The network 13 may be a private line managed by the maintenance center and only used by  
5 subscribed users. Alternatively, it may be a line that can be used by anybody, such as the Internet.

FIG. 2 is a structural diagram of a server 11 used in the embodiment. The server 11 comprises a CPU 21, a  
10 memory 22, an input device 23, a network interface 24, an output device 25, an intracompany LAN interface 26 and a system bus 27.

The memory 22 is a flash memory card including a flash memory card drive, a hard disk including a hard  
15 disk drive, a ROM, a RAM, or the like. The input device 23 is a keyboard, a mouse, or the like. The network interface 24 is connected to the network server 13, such as the Internet or the private line, i.e., a communication path to the outside of the server 11.  
20 The output device 25 is a display or the like. The intracompany LAN interface 26 is connected to another system or a printer in the maintenance center which uses the server 11, or an external system which uses information collected by the server 11. These are  
25 connected to one another by the system bus 27.

FIG. 3 is a flowchart showing an operation of providing backup data utilizing a remote maintenance

system in the first embodiment. It is premised that the product of the user incorporates a communication device such as a modem, and is connected to the server 11 of the maintenance center via the network 13, such as the Internet or a private line.

Further, the memory 22 of the server 11 prestores a backup data item table 31. The backup data items are information items necessary for studying measures to resolve claims. For example, if the product which is the object of a claim is a copying machine, the following are representative backup data items: the number of copies; the number of copies in each paper feed stage; the image concentration measurement value; the exposure set value; the automatic concentration adjustment set value; the drum charge adjustment set value; the network environment, etc. The backup data table shows in a matrix what items of the backup data is necessary for a content of the claim.

FIG. 4 shows an example of a backup data item table 31. In this example, the product which is the object of claim is a copying machine. The claim types A, B, C, ... are arranged in the column direction. The backup data items of the number of copies, the number of copies in each paper feed stage, the image concentration set value, the exposure set value, ... are arranged in the row direction. In the claim type A, the number of copies and the number of copies in

each paper feed stage of the backup data items are marked with circles. This indicates that two backup data items of the number of copies and the number of copies in each paper feed stage are necessary for the claim type A.

In a step S11, the server 11 acquires claim information through the intracompany LAN interface 26. The claim information includes contents of the claim, i.e., the state of trouble, the model of the product which is the object of claim, etc. The server 11 may acquire the information as data through the intracompany LAN interface 26, or acquire it as data through the network 13 via the network interface 24 from the outside of the server 11. Alternatively, the server 11 may acquire the information by input of claim information through the input device 23 into the server 11.

In a step S12, the server 11 generates backup data items from the acquired claim information. The CPU 21 of the server 11 reads the backup data item table 31 from the memory 22, and performs matching with the acquired claim information. If the acquired claim information includes claim type information, a backup data item can be generated by specifying the backup data item based on the corresponding claim type in the backup data item table 31. If the acquired claim information does not include claim type information,

the CPU 21 of the server 11 may have a structure of analyzing the contents of the claim and choosing a suitable claim type from the table 31.

5 In a step S13, the server 11 accesses the product 12 of the user from the network interface 24 through the network 13, and acquires backup data from the product of the user. The backup data can be acquired from: 1. the product of the user which is the object of claim; 2. a product of another user of the same model  
10 as that of the object of claim; and both 1 and 2. The case 1 is a case where it is necessary to acquire the backup data from the product which is the object of claim itself included in the claim information. On the other hand, the case 2 is a case where it is necessary  
15 to acquire the backup data of another user, functioning normally, of the same model as that of the product which is the object of claim. By comparing the backup data of the product in which trouble occurs and the backup data of the normally functioning product, a  
20 measure against the claim can be worked out immediately, and an accurate measure can be obtained.

In a step S14, the information corresponding to the backup data items acquired by the step 13 is notified to the equipment owned by the person in charge  
25 of measures against claims. The information is notified as data to the equipment owned by the person in charge of the measures against claims through the

intracompany LAN interface 26 of the server 11. It may be notified to the outside from the server 11 through the network 13 via the network interface 24.

Alternatively, the information may be output through the output device 25 of the server 11, so that it can be notified to the claim countermeasure department by facsimile or mail.

(Second Embodiment)

This embodiment is a modification of the first embodiment. FIG. 5 is a flowchart showing an operation of providing backup data utilizing a remote maintenance system of this embodiment. The preconditions of the first embodiment also apply to this embodiment. The same symbols as those used in FIG. 3 are assigned to the portions in common with the first embodiment. Detailed descriptions of the step S11 to the step S14, in common with the first embodiment, will be omitted. This embodiment is different from the first embodiment in that a step S21 is inserted between the step S13 and the step S14.

After the step S13, in the step S21, the backup data acquired in the step S13 is analyzed. The information to be analyzed is the information acquired from the product of another user of the same model as that of the product which is the object of claim. Data is analyzed item by item of the backup data based on the information. For example, if the item of the



backup data is the number of copies, the number of  
copies in the acquired information is collected and the  
average number of copies of all products is calculated,  
or the maximum number of copies or the minimum number  
5 of copies is extracted. By comparing the analyzed data  
and the backup data of the product in which the trouble  
occurs, the usage state of the product in which the  
trouble occurs can be compared with that of the  
normally functioning product.

10 After the step S21, the step S14 follows.

FIGS. 3 and 4 are flowcharts of the method and the  
system according to the embodiments of the invention.  
Each block of the flowchart and combinations of blocks  
in the flowcharts can be implemented by computer  
15 program instructions. These computer program  
instructions may be loaded onto a computer or other  
programmable apparatus to produce a machine. These  
computer program instructions may also be stored in a  
computer-readable memory which can direct a computer or  
20 other programmable apparatus to function in a  
particular manner. The computer program instructions  
may also be loaded onto a computer or other  
programmable apparatus to cause a series of operational  
steps to be performed on the computer or other  
25 programmable apparatus to produce a computer  
implemented process.

An optical disk such as a CD-ROM, a

magneto-optical disk such as an MO, or a semiconductor memory may be a concrete example of the computer-readable memory.

5 Additional advantages and modifications will readily occur to those skilled in the art. Therefore, the invention in its broader aspects is not limited to the specific details and representative embodiments shown and described herein. Accordingly, various  
10 modifications may be made without departing from the spirit or scope of the general inventive concept as defined by the appended claims and their equivalents.